




TOOL STORAGE SOLUTIONS

BUILT TO OUTPERFORM



CARLYLE



Built to outperform

NAPA has one serious selection of toolboxes for every - for all section of mechanics.




Carlyle products are built to outperform year after year, job after job, with sturdy construction and industry-leading fit and finish at every grade level. For no-nonsense, professional grade tool boxes that'll work hard and keep you organized, or for that once-in-a-lifetime dream toolbox with all the bells and whistles, the choice is clearly Carlyle.

| | CARLYLE PLATINUM | CARLYLE |
|-----------------------|-------------------------------|-----------------------------|
| CONSTRUCTION | 16 Gauge Steel | 18 Gauge Steel |
| WIDTH | 72", 60" | 54", 41" |
| DEPTH | 30" | 24" |
| DRAWER LOAD CAPACITY | 265 / 530 Lbs. | 100 / 200 Lbs. |
| DRAWER PULLS | Full length aluminum | Full length aluminum |
| FINISH | 3.2mil Powder Coat | 3.2mil Powder Coat |
| TRIM | Chrome | Black |
| POWER | Power outlet (chest only) | Power outlet (chest only) |
| DRAWER LOCKING SYSTEM | High Security Tubular locks | High Security Tubular locks |
| CASTERS | Spring Loaded Rubber, 6" x 2" | Rubber, 6" x 2" or 5" x 2" |
| CASTER LOAD CAPACITY | 900 Lbs. | 660 / 520 Lbs. |
| AVAILABLE COLORS | 3 colours ●●● | 5 colours ●●●●● |

For the ultimate in toolbox envy

The Carlyle Platinum series full-size storage solutions command respect. With bulletproof 16-gauge steel for maximum rigidity and loading capacity, chrome trim and massive 6-inch wheels for manoeuvrability, this is the toolbox all other toolboxes want to be.



All Carlyle Platinum models feature:

- 1 HEAVY DUTY PUSH HANDLE
- 2 STRUCTURALLY STIFFENED DRAWERS
- 3 HIGH SECURITY TUBULAR LOCKING SYSTEM
- 4 FULL-LENGTH, LIFT LATCH ALUMINUM DRAWER PULLS
- 5 BUILT FROM 16 GAUGE STEEL
- 6 UV PROTECTED 3.2MIL POWDER COAT FINISH
- 7 30" DEPTH
- 8 SPRING LOADED 6" X 2" CASTERS, 900 LBS CAPACITY PER CASTER
- 9 REMOVEABLE BALL BEARING SLIDES
- 10 GAS STRUT SUPPORTS
- 11 INTEGRATED POWER BAR (CHEST ONLY)
- 12 EVA DRAWER LINERS
- 13 STAINLESS STEEL TOP

TOOL STORAGE SOLUTIONS



SPECIFICATIONS & CAPACITIES

| NAPA Part # | Description | Overall | | | | | | Shipping Weight (lbs.) | Drawer Count | Drawer dimension | | | Load Capacity (lbs.) | Steel Gauge Body/Frame | Wheels | | |
|--------------|--------------------|------------|-----------|-------------|---------------|-----------------------------------|----------------------|------------------------|--------------|------------------|-----------|-------------|----------------------|------------------------|--------|-------------------------------------|-----------------|
| | | Width (in) | Dept (in) | Height (in) | Weight (lbs.) | Storage Volume (in ³) | Load Capacity (lbs.) | | | Width (in) | Dept (in) | Height (in) | | | Size | Type | Capacity (lbs.) |
| T7230 | 72" CHEST ●●● | 72 | 30 | 26,125 | 603 | 47 772 | 3,975 | 608 | 4 | 32 | 27,25 | 1,875 | 265 | 16 | | | 900 |
| | | | | | | | | | 3 | | | 4,625 | 530 | | | | |
| | | | | | | | | | 1 | 13,25 | | 14,625 | 530 | | | | |
| | | | | | | | | | 4 | | | 1,875 | 265 | | | | |
| B7230 | 72" CABINET ●●● | 72 | 30 | 45,25 | 1005 | 39 665 | 5,300 | 1014 | 1 | 48,75 | 27,25 | 1 | 530 | 16 | 6"x2" | Spring loaded rubber locking wheels | 900 |
| | | | | | | | | | 1 | | | 1,5 | 265 | | | | |
| | | | | | | | | | 5 | | | 1,5 | 265 | | | | |
| | | | | | | | | | 5 | 14,5 | | 4,25 | 265 | | | | |
| | | | | | | | | | 1 | | | 9,75 | 530 | | | | |
| | | | | | | | | | 2 | 31 | | 1,5 | 265 | | | | |
| | | | | | | | | | 3 | | | 4,25 | 265 | | | | |
| T6030 | 60" CHEST ●●● | 60 | 30 | 26,125 | 436 | 39 810 | 2,650 | 486 | 1 | 14,75 | 27,25 | 7 | 530 | 16 | | | 900 |
| | | | | | | | | | 3 | 14,75 | | 1,25 | 265 | | | | |
| | | | | | | | | | 1 | 37 | | 4 | | | | | |
| | | | | | | | | | 4 | 37 | | 1,25 | | | | | |
| B6030 | 60" CABINET ●●● | 60 | 30 | 45,25 | 723 | 38 580 | 3,445 | 801 | 1 | 54,75 | 27,25 | 4 | 530 | 16 | 6"x2" | Spring loaded rubber locking wheels | 900 |
| | | | | | | | | | 1 | | | 1,25 | 265 | | | | |
| | | | | | | | | | 2 | 1,25 | | | | | | | |
| | | | | | | | | | 1 | 14,75 | | 4 | | | | | |
| | | | | | | | | | 1 | | | 9,5 | | | | | |
| | | | | | | | | | 2 | 37 | | 1,25 | | | | | |
| | | | | | | | | | 1 | | | 4 | | | | | |
| | | | | | | | | | 1 | 9,5 | | 530 | | | | | |

When good enough is just not enough

Carlyle series tool storage solutions are professional grade all the way. With their rigid 18-gauge construction, accommodating 24-inch depth and 200 lbs drawer-load capacity, Carlyle toolboxes are built to be as tough as your workload and withstand the test of time. Choice of 5 colours, from current to classic.



All Carlyle models feature:

- 1 PUSH HANDLE
- 2 HIGH SECURITY TUBULAR LOCKING SYSTEM
- 3 FULL-LENGTH, LIFT LATCH ALUMINUM DRAWER PULLS
- 4 BUILT FROM 18 GAUGE STEEL
- 5 24" DEPTH
- 6 5" X 2" (41") or 6" X 2" (54") RUBBER CASTERS
- 7 REMOVEABLE BALL BEARING SLIDES
- 8 GAS STRUT SUPPORT
- 9 INTEGRATED POWER BAR (CHESTS ONLY)
- 10 EVA DRAWER LINER

TOOL STORAGE SOLUTIONS



SPECIFICATIONS & CAPACITIES

| NAPA Part # | Description | Overall | | | | | | Shipping Weight (lbs.) | Drawer Count | Drawer dimension | | | Load Capacity (lbs.) | Steel Gauge Body/Frame | Wheels | | |
|--------------|-----------------|------------|-----------|-------------|---------------|-----------------------------------|----------------------|------------------------|--------------|------------------|-----------|-------------|----------------------|------------------------|--------|-----------------------|-----------------|
| | | Width (in) | Dept (in) | Height (in) | Weight (lbs.) | Storage Volume (in ³) | Load Capacity (lbs.) | | | Width (in) | Dept (in) | Height (in) | | | Size | Type | Capacity (lbs.) |
| T5424 | 54" CHEST | 54 | 23,5 | 21,375 | 257 | 14 300 | 1,100 | 279 | 3 | 32 | 21,25 | 1,75 | 100 | 18 | | | |
| | | | | | | | | | 1 | | | 5,125 | | | | | |
| | | | | | | | | | 3 | | | 1,75 | | | | | |
| | | | | | | | | | 1 | | | 5,125 | | | | | |
| B5424 | 54" CABINET | 54,5 | 24 | 40,375 | 370 | 19 800 | 1,300 | 397 | 1 | 49,625 | 21,125 | 3,625 | 100 | 18 | 6"x2" | Rubber locking wheels | 660 |
| | | | | | | | | | 4 | | | 1,75 | | | | | |
| | | | | | | | | | 1 | 32 | | 8,625 | 200 | | | | |
| | | | | | | | | | 2 | 15,25 | | 1,75 | 100 | | | | |
| | | | | | | | | | 1 | | | 4,625 | 100 | | | | |
| | | | | | | | | | 1 | | | 8,625 | 200 | | | | |
| T4124 | 41" CHEST | 40,5 | 23,5 | 21,375 | 209 | 10 984 | 1,100 | 226 | 3 | 22 | 21,25 | 1,75 | 100 | 18 | | | |
| | | | | | | | | | 1 | | | 5,25 | | | | | |
| | | | | | | | | | 2 | 12 | | 1,75 | 200 | | | | |
| | | | | | | | | | 1 | 8 | | 200 | | | | | |
| B4124 | 41" CABINET | 41 | 24 | 39 | 289 | 14 281 | 1,300 | 308 | 1 | 36,5 | 21,25 | 3,5 | 100 | 18 | 5"x2" | Rubber locking wheels | 520 |
| | | | | | | | | | 2 | | | 1,5 | | | | | |
| | | | | | | | | | 1 | 22 | | 6 | 200 | | | | |
| | | | | | | | | | 1 | 12 | | 7 | 100 | | | | |
| | | | | | | | | | 2 | | | 1,5 | 100 | | | | |
| | | | | | | | | | 1 | | | 6 | 200 | | | | |
| | | | | | | | | | 1 | 7 | | 200 | | | | | |


CARLYLE METAL TOOL CARTS



Features:

- 1 BODIES BUILT FROM 18 GAUGE STEEL, DRAWERS FROM 20 GAUGE STEEL
- 2 3.2 MIL EPOXY-POLYESTER POWDER COAT PAINT FINISH
- 3 HIGH-SECURITY TUBULAR LOCKING SYSTEM WITH KEYS
- 4 FULL-LENGTH METAL PUSH HANDLE
- 5 EVA FOAM DRAWER LINERS INCLUDED
- 6 FULL-LENGTH ALUMINUM DRAWER PULLS
- 7 FULL EXTENSION GAS STRUT SUPPORTS FOR TOP COMPARTMENT LID
- 8 REMOVABLE 350 MM BALL-BEARING DRAWER GLIDES
- 9 BOTTOM SHELF FOR ADDITIONAL STORAGE SPACE
- 10 5" X 2" RUBBER CASTERS WITH 330LBS CAPACITY (PER CASTER)

SPECIFICATIONS & CAPACITIES

| NAPA Part # | Description | Overall | | | | | | Shipping Weight (lbs.) | Drawer Count | Drawer dimension | | | Load Capacity (lbs.) | Steel Gauge Body/Frame | Wheels | | |
|---|------------------------|------------|-----------|-------------|---------------|-----------------------------------|----------------------|------------------------|--------------|------------------|-----------|-------------|----------------------|------------------------|---------|----------------------------------|-----------------|
| | | Width (in) | Dept (in) | Height (in) | Weight (lbs.) | Storage Volume (in ³) | Load Capacity (lbs.) | | | Width (in) | Dept (in) | Height (in) | | | Size | Type | Capacity (lbs.) |
| TCM3520-4D  | 31" 4 DRAWER TOOL CART | 31 | 20,5 | 39,375 | 141 | 7 448 | 700 | 175 | 2 | 11,625 | 17,375 | 2,625 | 100 | 18 / 20 | 5" x 2" | 2 swivel, 2 fixed rubber casters | 330 |
| | | | | | | | | | 1 | 25,375 | 17,375 | 2,625 | | | | | |
| | | | | | | | | | 1 | 25,375 | 17,375 | 6 | 200 | | | | |

CARLYLE METAL TOOL CARTS



Features:

- 1 BUILT FROM 20 GAUGE STEEL
- 2 HIGH-SECURITY TUBULAR LOCKING SYSTEM WITH KEYS
- 3 FULL-LENGTH METAL PUSH HANDLE
- 4 FULL-LENGTH ALUMINUM DRAWER PULLS
- 5 FULL EXTENSION GAS STRUT SUPPORTS FOR TOP COMPARTMENT LID
- 6 ACCESS TOP DRAWER STORAGE COMPARTMENT WHETHER IN OPEN OR CLOSED POSITION BY OPENING THE LID OR THE TOP DRAWER
- 7 BOTTOM SHELF FOR ADDITIONAL STORAGE SPACE
- 8 5" X 2" RUBBER CASTERS WITH 100LBS CAPACITY (PER CASTER)

SPECIFICATIONS & CAPACITIES

| NAPA Part # | Description | Overall | | | | | | Shipping Weight (lbs.) | Drawer Count | Drawer dimension | | | Load Capacity (lbs.) | Steel Gauge Body/Frame | Wheels | | |
|-------------|---------------------------|------------|-----------|-------------|---------------|-----------------------------------|----------------------|------------------------|--------------|------------------|-----------|-------------|----------------------|------------------------|---------|-------------------------------|-----------------|
| | | Width (in) | Dept (in) | Height (in) | Weight (lbs.) | Storage Volume (in ³) | Load Capacity (lbs.) | | | Width (in) | Dept (in) | Height (in) | | | Size | Type | Capacity (lbs.) |
| TCM3220-4D | 32" 4 DRAWER SERVICE CART | 32 | 20 | 41,5 | 179,3 | - | 400 | 196 | 2 | 27 | 18 | 3 | 100 | 20 | 5" x 2" | 2 swivel, 2 fixed PVU casters | 100 |
| | | | | | | | | | 2 | 27 | 18 | 5 | 100 | | | | |

CARLYLE PLASTIC SERVICE CARTS



SPECIFICATIONS & CAPACITIES

| NAPA Part # | Description | Overall | | | | | Shipping Weight (lbs.) | Wheels | | |
|---------------------|----------------------------|------------|-----------|-------------|---------------|----------------------|------------------------|--------|-------------------------------------|-----------------|
| | | Width (in) | Dept (in) | Height (in) | Weight (lbs.) | Load Capacity (lbs.) | | Size | Type | Capacity (lbs.) |
| TCP3016-3TBK | 30" PLASTIC TOOL CART ● | 30 | 16 | 41 | 32 | 300 | 34 | 4"x1" | 2 swivel, 2 fixed rubber casters | 75 |
| TCP3625-2TBK | 36" PLASTIC TOOL CART ● | 36 | 25,5 | 33,25 | 53 | 500 | 55 | 4"x1" | 2 swivel, 2 fixed PVU casters | 125 |

CARLYLE JOB SITE BOXES



Features:

- 1 CARLYLE JOB SITE BOXES ARE BUILT FROM 16 GAUGE STEEL
- 2 TAMPERPROOF LOCKING SYSTEM PROTECTS PADLOCKS FOR EXTRA SECURITY
- 3 LOCKING ARM HOLDS BOX LIDS OPEN
-INDUSTRIAL STRENGTH HANDLES ON EACH END FOR EASY CARRYING
- 4 WRINKLE FINISH
- 5 ONE (1) SUPPORT STRUT ON THE 36" AND TWO (2) SUPPORT STRUTS FOR THE 48"

SPECIFICATIONS & CAPACITIES

| NAPA Part # | Description | Overall | | | | | | Shipping Weight (lbs.) | Steel Gauge | Lid Supports |
|-----------------|-----------------------|------------|-----------|-------------|---------------|-----------------------------------|----------------------|------------------------|-------------|--------------|
| | | Width (in) | Dept (in) | Height (in) | Weight (lbs.) | Storage Volume (in ³) | Load Capacity (lbs.) | | | |
| JBS36-BK | 36" JOB SITE BOX ● | 35,83 | 15,75 | 18,23 | 66,14 | 10,288 | 300 | 69,5 | 16 | 1 |
| JBS48-BK | 48" JOB SITE BOX ● | 47 | 23 | 24 | 114,64 | 25,944 | 600 | 124,5 | 16 | 2 |

